

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15668	(directory near2 system or service) and (user same (services or functions)) and ((authoriz\$6 or authenticat\$5) same user same (service\$2 or function\$2)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:24
L2	1416	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz\$6 or authenticat\$5) same user same (service\$2 or function\$2)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:25
L3	476	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz\$6 or authenticat\$5) same user same (service\$2 or function\$2)) and (data same (user near5 ("logged in" or "logged on" or using or present or presence))) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:26
L4	132	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz\$6 or authenticat\$5) same user same (service\$2 or function\$2)) and (data near5(user near5 ("logged in" or "logged on" or using or present or presence))) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:26
L5	132	(directory near2 (system or service)) and (user same (services or functions)) and ((authoriz\$6 or authenticat\$5) same user same (service\$2 or function\$2)) and (data near5 (user near5 ("logged in" or "logged on" or using or present or presence))) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 18:26
L15	12	(directory near2 system) same (user near2 session) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:39
L16	586	(segreat\$5 or divid\$4 or stor\$4) near4 data near5 (frequ\$5 near3 access) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:40

EAST Search History

L17	456	(segregat\$5 or divid\$4 or stor\$4) near3 data near4 (frequen\$5 near3 access) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:40
L18	1	(directory near2 (system or service)) and ((segregat\$5 or divid\$4 or stor\$4) near3 data near4 (frequen\$5 near3 access)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:51
L19	879	(backing adj (store or storage)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 19:52
L20	55	(directory adj (system or service)) and (backing adj (store or storage)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:05
L21	44	(directory adj (system or service)) and (user near3 session near3 data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:09
L22	0	(directory adj (system or service)) and ((user near3 session near3 data) same ((log\$5 or sign\$4) near (in or on))) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:07
L23	1194	(user near3 session near3 data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:09
L24	35	(user near3 session near3 data) and (stor\$4 near4 (session near3 data)) and ((chang\$4 or modif\$5) near4 (session near3 data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:13
L25	138	(track\$4 near4 (user near2 activity)) and (authentication or authorization) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:14
L26	22	(track\$4 near4 (user near2 activity)) and (authentication or authorization) and ((chang\$4 or modif\$5) near4 (user near2 data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:15

EAST Search History

L27	0	((track\$4 near4 (user near2 activity)) same presence) and (authentication or authorization) and ((chang\$4 or modif\$5) near4 (user near2 data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:15
L28	0	(track\$4 near4 (user near2 presence)) and (authentication or authorization) and ((chang\$4 or modif\$5) near4 (user near2 data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:16
L29	10	(track\$4 near4 (user near4 presence)) and (authentication or authorization) and ((chang\$4 or modif\$5) near4 (user near2 data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:23
L30	23	(directory adj (system or service)) and ((hash adj value) near4 (attribute or name)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 20:24
S1	169	(directory adj system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:10
S2	0	(allan near c near lloyd).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:01
S3	18	(allan near2 lloyd).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:01
S4	190	(richard near harvey).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:10
S5	2	(richard near harvey).inv. and (datacraft).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:12
S6	2	"20040117410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:13

EAST Search History

S7	2	"20020107828"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:14
S8	2	"6347312".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:15
S9	2	"6085188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:15
S10	0	ldap and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:16
S11	3433	ldap and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:16
S12	109	ldap and DIT and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:17
S13	65	ldap and DIT and "x.500" and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:18
S14	62	ldap and DIT and "x.500" and attribute and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 18:18
S15	63	ldap and DIT and "x.500" and attribute and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 18:19
S16	33	ldap and DIT and "x.500" and attribute and (access near control\$5) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 18:19

EAST Search History

S17	33	ldap and DIT and "x.500" and attribute and (access near2 control\$5) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:10
S18	52	DIT and "x.500" and attribute and (access near2 control\$5) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 18:27
S19	0	dit and (attribute near segment) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 19:03
S20	1	dit and (attribute near segment) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:03
S21	136	ldap and tree and "x.500" and attribute and (access near2 control\$5) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:24
S22	2987	(manag\$6 with directory) and (control\$5 near2 access) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:25
S23	1521	(manag\$6 near3 directory) and (control\$5 near2 access) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:25
S24	948	(manag\$6 near3 directory) and (control\$5 near2 access) and attribute and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:25
S25	951	(manag\$6 near3 directory) and (control\$5 near2 access) and (attribute and tree of hierarch\$5) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:26
S26	315	(manag\$6 near3 directory) and (control\$5 near2 access) and (attribute and tree of hierarch\$5) and (object adj class) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 19:26

EAST Search History

S27	729	(directory near2 system) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:03
S28	7	((directory near2 system) with (memory)) and (attribute and object and DIT) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:41
S29	209	(richard near2 harvey).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:42
S30	20	(richard near2 harvey).inv. and DIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 17:42
S31	20	(richard near2 harvey).inv. and DIT and "X.500"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 11:57
S32	171	(directory adj system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 11:58
S33	16	(directory adj system).ti. and DIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 11:58
S34	2	"20050102297"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:31
S35	2205	(directory near2 system) and (authentication or authorization or (access near (control or right\$))) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:33
S36	1509	(directory near2 system).and (access near (control or right\$ or configuration)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:34

EAST Search History

S37	52	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:34
S38	81	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 14:35
S39	0	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and DIT and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 14:35
S40	29	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and tree and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/17 14:35
S41	47	(directory near2 system) and (access near (control or right\$ or configuration)) and (access near2 identifier) and (tree or hierarchy) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:34
S42	285	(directory near2 system) and (transaction near2 manag\$6) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:34
S43	1	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 directory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:35
S44	72	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:35
S45	84	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 (information or data)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:36
S46	71	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 (information or data)) and (transaction near2 data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:32

EAST Search History

S47	107	(directory near2 system) and (memory near2 manag\$6) and (usage near3 memory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:44
S48	12	(directory near2 system) and (memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:45
S49	477	(memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:47
S50	109	(directory) and (memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
S51	58	(memory near2 manag\$6) and ((usage near3 memory) same ((configu\$6 or reconfigu\$6) near3 memory)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:49
S52	23	(memory near2 manag\$6) and (monitor\$4 near4 (usage near3 memory)) and ((configu\$6 or reconfigu\$6) near3 memory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:49
S53	70	(directory) and (memory near2 manag\$6) and (usage near3 memory) and ((configu\$6 or reconfigu\$6) near3 memory) and (memory near3 allocat\$5) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
S54	57	(directory near2 system) and (transaction near2 manag\$6) and (recover\$4 near3 (information or data)) and (transaction\$3 near data) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:40
S55	30	(manag\$6 near2 memory) and (monitor near4 (memory near3 usage)) and (allocat\$5 near3 memory) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:47
S56	0	(sponsoring adj object) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:48

EAST Search History

S57	0	(sponsorr adj object) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:48
S58	2	(sponsored adj object) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 14:48
S59	47	(transactional adj messaging) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 15:09
S60	2	(transactional adj messaging) and (directory near2 (system or service)) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 14:58
S61	54	(transactional adj message) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 15:09
S62	83	(transactional adj message) and @ad<"20031112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 15:09